



Loma Linda University

School of Dentistry
Clinic Administration

Loma Linda, California 92350
(909) 558-4603
FAX (909) 558-4822

PLEASE TAKE THE TIME TO READ THE FOLLOWING INFORMATION.
IT SHOULD ANSWER ALL THE QUESTIONS THAT YOU MAY HAVE.

Western Regional Dental Board Candidate Information

March 20-23, 2022

June 12 – 15, 2022

PRINCE HALL – WREB CANDIDATES

MANIKIN BASED EXAM

We at the School of Dentistry wish to make your experience here as pleasant and convenient as possible. The information below should answer any questions you may have regarding the upcoming **MANIKIN BASED EXAM.**

The school of dentistry facilities, are taking measures to **REDUCE RISK** for possible exposures to **COVID – 19.**

All WREB Candidates – at this point the following applies.

- **Enter through:**
 - **MAIN ENTRANCE 1** (only entrance)
 - **Self-Screen prior to entering the building**
 - **If you are sick do not come on campus**
 - **Mask required inside building at all times**

VISITOR RESTRICTIONS - ONLY candidates allowed in building – No Exceptions

COVID – 19 Screening/Guidelines (Note: LLUSD Updated Guidelines will be Sent to Candidates by the WREB office before exam/subject to change)

- 1 **Building and Access Hours:** The building will be open from 6:00 a.m. to 6:00 p.m. during the Western Regional Dental Board Examination, unless otherwise requested by the examiners.
- 2 **ATM Machines:** Not available

- 3 **Food Service:** Loma Linda University Medical Center has a full-service cafeteria located on the first-floor level of the hospital this is open from 6:00 a.m. to Midnight. **NO OUTSIDE FOOD ALLOWED TO BE BROUGHT INTO THE BUILDING**
- 4 **School Tour:** Information to follow regarding a tour. This information will come from WREB office & determined by LLUSD just before exam.
- 5 **Supplies:** The following supplies will be PROVIDED to candidates from the Clinic Supply dispensary located in the main clinic during the license exam.

Air-water syringe tips - disposable	Gloves	Disposable Paper Trays
Amalgam – fast and regular	Goggles (disposable)	Rubber Dam
Articulating paper (blue, holders)	Head Rest Covers	Tissue – facial
Autoclave Tape	Hi and Low Suction Tips	Vaseline
Bags – Sterilization / Tape	Hydrogen Peroxide	Wedges (all sizes)
Bibs and Holders	Masks	Disposable Gowns
Blades (15 & 12)	Matrix bands	Deck Paper
Cotton Rolls	Mouthwash / Cups	Floss
Cotton swabs	Patient Drapes	Gauze 2x2's
Disinfectant – Cavi Wipes	Disposable Tray Covers	

OPERATIVE PORTION INFORMATION

IMPORTANT –

WREB will provide 2 Maxillary arches containing One Prep & One Finish.

Refer to Candidate Guide for details on Operative Section

LLUSD WILL PROVIDED IN EACH CUBICLE FOR ALL CANDIDATES

COMPOSITE PAK

CONTENTS: Polishing cups, Mylar, Acid etch, Scotch Bond Unidose, A2 Body, A3 Body, InterGuard, topical & Needle
NO OTHER SHADES AVAILABLE AT LLUSD

6. ENDODONTIC PORTION INFORMATION

IMPORTANT – Initial Films Provided by WREB for ALL CANDIDATES

Refer to Candidate Guide for details on Endodontic Section

The “Modu Pro Endo Kit” (MPE120PC) for the Endodontics portion of the Western Regional Boards is available in Dental Supply. The full kit contains all 6 modu pro arch models, Apex- Conductive putty, fixing gel and 2 mixing tips. Cost is approximately \$195.00 + tax.

Replacement components are available, all prices are approximate and + tax.

- Fixing gel with 2 mixing tips - \$17.00
- Single mixing tips - \$1.70
- Apex-Conductive Putty - \$16.00
- Arches (any one of six) - \$18.00
- Optv-X w/ sphere - \$14.00

Loma Linda University will be a DIGITAL EXAMINATION SITE for ENDODONTIC Examination & will use digital radiographs with Monitor to Monitor Viewing.

Chloroform, A H Plus Sealer, **REDTA**, Gutta Percha, (ISO standard & conventional MF, F, M, FM) Paper points. RC Prep, cotton pellets, Alcohol, masks, gloves, rubber dams, disposable gowns & disposable paper products provided in lab.

Endodontic supplies not provided are: Files, instruments, burs & Gates Glidden burs - (Available at Dental Supply for purchase)

WE DO NOT SELL OR RENT HAND PIECES

Hand piece options for Clinic & Endodontic section

Refer to #9 - Option 1 or Option 2 can be used on Clinic & Endodontic Lab

We do not use Shrouds

7. PROSTHODONTICS PORTION INFORMATION

The ModuPRO One will be used in the prosthodontics section of the exam. Candidates will need to provide the ModuPRO One, with the mandibular ModuPRO One arch.

IMPORTANT: WREB will provide the maxillary arch to be treated on during the exam for candidates. Refer to Candidate Guide for Details on Prosthodontic Section

A CheckMate One will be used by Candidates during the exam to make PVS (Polyvinyl Siloxane) putty matrices for examiner grading. WREB will provide the maxillary CheckMate One to Candidates, along with the maxillary ModuPRO One arch at the exam.

The school will provide the PVS (Polyvinyl Siloxane) putty.

Acadental has an instructional video on how to create the PVS (Polyvinyl Siloxane) putty matrices. See their video at www.acadental.com/checkmateone

If the ModuPRO with magnetic carrier trays and articulator were purchased in the last two years

and are in good working condition, remove the ModuPRO One gums and attach the endo sextants to the magnetic Carrier Trays, or vice versa.

In the simulation lab, you will receive in a bag:

1. The maxillary ModuPRO One arch to be treated
2. A CheckMate One – you will use the CheckMate One during the exam to make PVS putty matrices for examiner grading
3. A Prosthodontic Worksheet

You will need to provide:

1. A ModuPro One model
2. The mandibular ModuPRO One arch
3. Bring all your OWN instruments you will need for this procedure

The ModuPRO One and ModuPRO One arches for the Prosthodontic portion of the exam are available for purchase in LLUSD Dental Supply.

8. **NO INSTRUMENT OR EQUIPMENT RENTAL AVAILABLE AT LOMA LINDA UNIVERSITY SCHOOL OF DENTISTRY. NO HANDPIECES, NO CURING LIGHTS OR NO CAVITRONS FOR SALE, RENT OR PROVIDED DURING EXAM AT LLUSD.**



PLEASE READ THE FOLLOWING SECTION




Hand piece Options

OPTION 1 –

9. **CLINIC EQUIPMENT** - Dental units are equipped with air control boxes with Midwest “Q” quick connect high speed hand piece tubing. Slow speed is standard 4-hole tubing. **Candidates must use the Midwest adaptor for a high speed handpiece, NO EXCEPTIONS.** This Adaptor is available at LLU School of Dentistry / Dental Supply at an approximate cost of \$20.00.

All units have a 3-way air-water syringe. **Syringe tips are provided.**

All units have a quick-connect water source for ultrasonic scalers. Sonic scalers which fit the 4-hole hand piece tubing can also be used. **The School does not provide ultrasonic or sonic scalers.**



All dental chairs are equipped with fiber optic light for high-speed hand pieces.

Eye wear is required for candidate for all clinic &lab sessions.

OPTION 2 –

Electric Hand piece – Bien Air model MX2 (ONLY!)

10. **Sterilization protocol:** Sterile processing is available for all Western Regional Board Examination Candidates beginning the first day of the exam. Sterilization will display hours of operation at each location. **Processing of all items takes 3 hours.** We have designated our drop-off and pick-up locations. **Infection control protocols** are strictly enforced. Instruments must be cleaned, disinfected, and sterilized before use. LLUSD uses an automated system which requires instruments be in the appropriate container for proper cleaning and disinfection. Pouches will only be accepted if **manual cleaning** has taken place according to the manufacturer's instructions for use. Legibly, write your GROUP & CANDIDATE number on all items. A receipt process is used to retrieve your items.
11. **Dental Supply Store:** The School store is located in a central area on the first floor. Instruments and supplies may be purchased by candidates. The store will be open prior to and during the examination (except Saturday & Sunday) **DISPOSABLE GOWNS WILL BE PROVIDED ON CLINIC AND IN LAB.**
12. **Waste Disposal:** Any material that can poke, cut, tear, i.e. needles, blades, burrs etc. must be deposited in the special "**RED CONTAINERS**" marked "**SHARPS**". **ENCLOSED IS THE INFECTION CONTROL PROTOCOL FOR THE LLU DENTAL CLINICS.**
13. **Dental Unit Malfunctions:** Report equipment problems to the WREB Staff on the Main Clinic or in the area of where your exam is and an equipment technician will promptly come to your unit.
14. **Parking Guidelines:** Candidates, may use the parking lot adjacent to the School of Dentistry until it is filled. **THE ONLY ACCESS TO THIS LOT WILL BE FROM ANDERSON STREET AND UNIVERSITY COURT AT THE DENTAL SCHOOL ENTRANCE.** Additional free parking is available in lot "X", on the northwest and lot "U" on the northeast corner of Anderson and Stewart Streets, one block north and of the Dental School. Street parking is limited.

EMERGENCY PHONE NUMBER
while inside the School:
8333 - Medical Emergency

The examiner will have access to the school's automatic external defibrillator (AED) and provide appropriate action according to the American Heart Association (AHA) standards until emergency responders arrive.

1. UNIVERSAL BARRIER PROTECTION

The policy for LLUSD clinics is to employ universal barrier protection in **all direct patient contacts**. These protective barriers and techniques include: Gloves, Proper hand washing, Masks and Eye protection and Protective clothing. Application of universal barrier protection is described in the sections to follow.

2. BASIC INFECTION CONTROL PROCEDURES

- Standard precautions shall be practiced in the care of all patients.
- Universal Precautions is an approach to infection control, according to the concept of Universal Precautions, all human blood and certain human body fluids are treated as if known to be infectious for HIV, HBV, HCV, and other Bloodborne Pathogens.

2.1 General rules for infection control:

- Infection control applies to **all** patients.
- Cross-contamination is reduced by the use of the following universal barrier protection: Gloves, face mask, protective eyewear **and** Protective clothing (clinic barrier gown).
- Wash your hands with an antimicrobial soap **before** gloving and **after** degloving. If hands are not visibly soiled or contaminated an alcohol based hand rub may be used as an alternative to soap and water. Remove all rings. Put gloves on when you are ready for intraoral procedures; after gloving, **do not** touch anything other than the patient and the equipment, instruments and supplies needed for the procedure. If you need to obtain some equipment outside the operator, or if you need to touch the computer or handle any object other than those used in the procedure, or leave the cubicle for any reason whatsoever, **you must remove your gloves followed by hand washing.**
- If gloves are compromised (torn or damaged) during a procedure, remove them, wash your hands and put on a new pair of gloves.
- Clean and disinfect the operator **before** setting up your cubicle, and **after** you have completed the examination. Using the two-step procedure wipe to clean, wipe to disinfect (read label).
- Face masks and protective eyewear, or face shields with mask, are mandatory in all clinical areas which aerosol spray, splashing or spatter could occur: e.g. use of high speed hand pieces, ultrasonic equipment, air/water syringes, and during scaling and surgical procedures.
- Protective clothing is mandatory in all clinical settings: examinations, radiographic procedures and all treatment procedures. Clinic gowns used as protective clothing should be changed at least daily and when visibly soiled from treatment procedures. Disposable gowns are to be placed in trash. Gowns are to be worn only on the second floor clinic areas. **DO NOT WEAR GOWNS** in labs, bathrooms, lounges or outside of the building. Hair must be secured up and back so that it does not contact your patient, instruments, equipment or supplies.
- Whenever anesthetic injections are used, recap the needle by using a recapping device or the “scoop” method. (Without touching the cap with your fingers, insert the needle into the cap, as it lies on the tray, by directing it with the syringe. When the needle has been inserted, lift up the syringe with the “scooped up” cap in place. The cap can then be pushed into place by finger pressure.) If you are working with an assistant, **do not pass** the syringe to the assistant after completing the injection. You must complete the recapping yourself before replacing the syringe back on the treatment tray. Protector cards are available to you.

Regulated Medical Waste Disposal:

Sharps Waste Container: Dispose of all needles & empty anesthetic carpules.

Pharmaceutical Waste Container: Dispose of partially used anesthetic carpules into 2x2 gauze and then dispose of the gauze into a Pharmaceutical (RX) waste container.

Place protector cared in regular trash.

2.2 Preparation of operatory prior to seating patient

- Always use gloves, mask, wear safety glasses and protective clothing when disinfecting the operatory.
- Prepare the operatory before use by removing debris from the floor and counter tops, disinfecting all surfaces identified below.
 - Use 1st Cavi Wipe XL Disinfecting Towellette to clean cubicle.
 - Use 2nd Cavi Wipe XL Disinfecting Towellette to disinfect the cubicle.
- Wipe all environmental surfaces to include the **handle** and **switch** of the dental light. Handles, receptacles, brackets and valves of saliva ejector, high speed evacuator. Hoses for suction and air rotors: disinfect 24" from connection to suction tips and hand piece, mayo stand and counter surfaces. Patient and operator chairs: those parts that may have been touched with contaminated hands or been splattered (ie. Air-water syringe handle).
- Flush air-water syringe and hand piece hoses for **2 minutes** into high speed evacuation system or the sink.
- Remove and dispose of gloves.
- Wash hands with the use of antimicrobial soap for at least 15 seconds.
- Pick up from the supply cart and dispensary supplies and equipment to be used during the patient visit.
- Set up protective covers, barriers, supplies and instrument cassette(s).
- Put protective mask, exam gloves on counter. Wear either protective eyewear or face shield. **(Personal eye wear is not a substitute for eye protection)**.
- Your cubicle is now ready and you can proceed with your examination.

Local Motels

1. **TownePlace Suites by Marriott**
10336 Richardson Street,
Loma Linda,
2. **Hilton Garden Inn**
1755 South Waterman Avenue
San Bernardino, Ca. 92408
909-806-4040
3. **Days Inn by Wyndham**
1386 East Highland Avenue
San Bernardino
909-
4. **DoubleTree by Hilton**
285 East Hospitality Lane
San Bernardino
909-
5. **Hampton Inn & Suites**
895 East Hospitality Way
San Bernardino
909-
6. **Loma Linda Inn**
24532 University Ave.
Loma Linda
909-583-2500
7. **Best Western**
294 E. Hospitality Lane
San Bernardino, CA 92408
909-381-1681
8. **Homewood Suites by Hilton**
885 East Hospitality Lane
San Bernardino
909-
9. **Mission Inn**
3649 Mission Inn Ave.
Riverside
951-784-0300
1-800-843-7755
10. **Residence Inn (Marriott)**
1040 E. Harriman Place
San Bernardino, Ca. 92408
800-331-3131 & 909-382-4564
11. **Fairfield Inn & Suites (Marriott)**
1041 E. Harriman Place
San Bernardino, Ca. 92408
800-228-2800 & 909-382-4560
12. **Comfort Suites**
1230 W. Colton Ave.
Redlands, CA. 92374
909-335-9988
13. **Ayres Hotel**
1015 W. Colton Ave.
Redlands, CA. 92374
909-335-9024
14. **Country Inn & Suites**
1650 Industrial Park Ave.
Redlands, Ca 92374
1-800-596-2375 & 909-792-7913

Where to Dine

Angelo's

11275-D Mt. View Ave909-796-0080
Loma Linda, CA.

BJ's Restaurant

1045 Harriman Pl.....909-380-7100
San Bernardino, CA, 92408

Black Angus

290 E. Hospitality Lane909-885-7551
San Bernardino, CA.

Cafe Society

24575 University St.909-799-8511
Loma Linda, CA.

Chili's Grill & Bar

475 E. Hospitality Lane909-885-6167
San Bernardino, CA.

Claim Jumper

1905 Commerce Center St.
San Bernardino, Ca 92408909-383-1818

El Torito

118 E. Hospitality Lane909-381-2316
San Bernardino, CA.

Golden Corral Buffet

325 E. Hospitality Lane909-890-1137
San Bernardino, CA 92408

Hometown Buffet

24990 Redlands Blvd.....909-796-6588
Loma Linda, CA.

International House of Pancakes

219 E. Hospitality Lane909-888-7880
San Bernardino, CA.

Lotus Garden

111 E. Hospitality Lane909-381-6171
San Bernardino, CA.

LLUMC Medical Center Cafeteria (Vegetarian)

Medical Center RM 1301 (Lobby Level)909-558-4365

Napoli's

24960 Redlands Blvd.....909-796-3770
Loma Linda, CA.

The Olive Garden

460 E. Hospitality Lane909-381-2747
San Bernardino, CA.

Patio Pantry (Vegetarian)

24954 Prospect Ave.909-558-4580
Loma Linda, CA.

Red Lobster

195 E. Hospitality Lane909-888-2288
San Bernardino, CA.

Mimi's Cafe

395 E. Hospitality Lane909-890-4333
San Bernardino, CA.

Sizzler Family Restaurant

1800 So. Waterman Ave.909-381-4020
San Bernardino, CA.


Surfer Joe's

251 E. Redlands Blvd.909-824-5523
San Bernardino, CA.

TGI Friday's

390 E. Hospitality Lane909-888-9934
San Bernardino, CA.

Directions to Campus



FROM THE SAN BERNARDINO AREA:

If coming from northern inland routes (I-10 or I-215), go through San Bernardino to the I-10 interchange; then turn east on the San Bernardino freeway (I-10) for two miles to the Anderson/Tippecanoe offramp. Turn south on Anderson.

FROM THE LOS ANGELES AREA:

Take the San Bernardino freeway east (I-10) past the I-215 interchange, and two miles beyond, take the Anderson/Tippecanoe offramp. Turn south on Anderson.

FROM THE RIVERSIDE AREA:

Take Route 91 east to the I-215 north to the San Bernardino freeway (I-10) east, exiting at the Anderson/Tippecanoe offramp. Turn south on Anderson.

FROM THE DESERT AREA:

Take the San Bernardino freeway west (I-10) to the Anderson/Tippecanoe offramp, then turn left at the stop light (south on Anderson).

ADDRESS:


LOMA LINDA UNIVERSITY SCHOOL OF DENTISTRY
11092 Anderson Street
Loma Linda, CA 92354

PHONE:

(909) 558-4222

1st Floor

Sterilization 1st
Floor Pick-up.



Dental Supply Store
1123

Noble Bio Care Lab
Endo Exam Lab
1140

Elevators

Amphitheatre
1101-1102
ORIENTATION

Candidates Lab
1112




Version 1

Main Clinic-Second Floor

10 Groups x 10 Students
Undergraduate DDS, DH

Not to scale



Robin – School
Coordinator's Office
Room 2300

COVID-19 Training

- **Guidance from various agencies**
 - **Centers for Disease & Prevention (CDC)**
 - **California Department of Public Health (CDPH)**
 - **San Bernardino County Public Health (SBCPH)**
 - **Occupational Safety & Health Administration (OSHA)**
 - **American Dental Association (ADA)**
 - **California Dental Association (CDA)**
 - **Dental Board of California (DBC)**
 - **World Health Organization (WHO)**
 - **The Joint Commission (TJC)**
 - **etc...**



Prince Hall – WREB CANDIDATES

» The school of dentistry facilities, are taking measures to Reduce Risk for possible exposures to COVID -19.

» All WREB CANDIDATES

~ Due to constant changes with the recommending and regulatory agencies this information **is subject to change.**

» All WREB CANDIDATES

~ Upon entry you will need to do a **SELF-SCREENING prior to coming on campus.**

~ Enter through:

• MAIN ENTRANCE 1 –

➤ A Mask is required upon arrival and while inside building at all times.



LOMA LINDA UNIVERSITY

LLUSD
WREB
Screening Protocol

Additional information

» Visitor Restrictions – only candidate is allowed in building

» COVID-19 Screening/Guidelines

» WHO.org

» Hand Hygiene handouts

~ Hand Hygiene (Soap & Water)

~ Hand Rub (ABHR)

» CDC.org

» PPE Handouts

~ Donning - Placing

~ Doffing - Removing



LOMA LINDA UNIVERSITY

LLUSD
WREB
Screening Protocol

COVID-19 Screening Guidelines

» Do you have *mild to moderate* symptoms related to OR other respiratory illness such as?

• Fever (Temp > 37.8°C/100.0°F)	Yes	No
• Chills	Yes	No
• Shortness of Breath	Yes	No
• Sore throat	Yes	No
• Runny nose	Yes	No
• Not feeling well	Yes	No
• Fatigue	Yes	No
• Muscle aches	Yes	No
• Headaches	Yes	No
• Loss of taste or smell	Yes	No
• Sneezing	Yes	No
• Coughing	Yes	No
• Gastrointestinal symptoms such as:		
~ Soft stool	Yes	No
~ Stomach cramps	Yes	No



LOMA LINDA UNIVERSITY

LLUSD
WREB

Screening Protocol (Revised 09/23/2021)

How to Handwash?

WASH HANDS WHEN VISIBLY SOILED! Otherwise, use Handrub

Duration of the entire procedure: 40-60 seconds

0. Wet hands with water;
1. Apply enough soap to cover all hand surfaces;
2. Rub hands palm to palm;
3. Right palm over left dorsum with interlaced fingers and vice versa;
4. Palm to palm with fingers interlaced;
5. Backs of fingers to opposing palms with fingers interlocked;
6. Rotating rubbing of the left thumb clasped in the right palm and vice versa;
7. Rotating rubbing, backwards and forwards with clasped fingers of right hand in the left palm and vice versa;
8. Rinse hands with water;
- Dry hands thoroughly with a single use towel;
- Use towel to turn off facet;
- Your hands are now safe.

How to Handwash?

WASH HANDS WHEN VISIBLY SOILED! OTHERWISE, USE HANDRUB

⌚ Duration of the entire procedure: 40-60 seconds



Patient Safety
A World Alliance for Better Health Care

SAVE LIVES
Clean Your Hands



LOMA LINDA UNIVERSITY

WHO.org

World Health Organization

How to Handrub?

Rub hands for Hand Hygiene! WASH HANDS WHEN VISIBLY SOILED

Duration of the entire procedure: 20-30 seconds

- 1a/1b. Apply a palmful of the product in a cupped hand, covering all surfaces;
2. Rub hands palm to palm;
3. Right palm over left dorsum with interlaced fingers and vice versa;
4. Palm to palm with fingers interlaced;
5. Back to fingers to opposing palms with fingers interlocked;
6. Rotational rubbing of left thumb clasped in right palm and vice versa;
7. Rotational rubbing, backwards and forwards with clasped fingers of right hand in left palm and vice versa;
8. Once dry, your hands are safe

How to Handrub?

RUB HANDS FOR HAND HYGIENE! WASH HANDS WHEN VISIBLY SOILED

Duration of the entire procedure: 20-30 seconds



World Health Organization

Patient Safety
A Global Alliance for Safer Health-Care

SAVE LIVES
Clean Your Hands



LOMA LINDA UNIVERSITY

WHO.org

World Health Organization

Sequence for “Putting on” PPE


- Gown
 - Mask or Respirator
 - Goggles or Face Shield
 - Gloves
-
- Use safe work practice to protect yourself and limit the spread of contamination.
 - ~ Keep hands away from face
 - ~ Limit surfaces touched
 - ~ Change gloves when torn or heavily compromised
 - ~ **Perform Hand Hygiene, often!**

SEQUENCE FOR PUTTING ON PERSONAL PROTECTIVE EQUIPMENT (PPE)

The type of PPE used will vary based on the level of precautions required, such as standard and contact, droplet or airborne infection isolation precautions. The procedure for putting on and removing PPE should be tailored to the specific type of PPE.


1. GOWN

- Fully cover torso from neck to knees, arms to end of wrists, and wrap around the back
- Fasten in back of neck and waist




2. MASK OR RESPIRATOR

- Secure ties or elastic bands at middle of head and neck
- Fit flexible band to nose bridge
- Fit snug to face and below chin
- Fit-check respirator




3. GOGGLES OR FACE SHIELD

- Place over face and eyes and adjust to fit




4. GLOVES

- Extend to cover wrist of isolation gown



USE SAFE WORK PRACTICES TO PROTECT YOURSELF AND LIMIT THE SPREAD OF CONTAMINATION

- Keep hands away from face
- Limit surfaces touched
- Change gloves when torn or heavily contaminated
- Perform hand hygiene







Sequence for “Removing” PPE


- Gloves
 - Goggles or Face Shield
 - Gown
 - Mask or Respirator
-
- Use safe work practice to protect yourself and limit the spread of contamination.
 - ~ Perform Hand Hygiene between steps if hands become **contaminated** and **immediately after removing** all PPE

SEQUENCE FOR REMOVING PERSONAL PROTECTIVE EQUIPMENT (PPE)

Except for respirator, remove PPE at doorway or in anteroom. Remove respirator after leaving patient room and closing door.

- 1. GLOVES**
 - Outside of gloves is contaminated!
 - Grasp outside of glove with opposite gloved hand; peel off
 - Hold removed glove in gloved hand
 - Slide fingers of ungloved hand under remaining glove at wrist
 - Peel glove off over first gloved
 - Discard gloves in waste container
- 2. GOGGLES OR FACE SHIELD**
 - Outside of goggles or face shield is contaminated!
 - To remove, handle by head band or ear pieces
 - Place in designated receptacle for reprocessing or in waste container
- 3. GOWN**
 - Gown front and sleeves are contaminated!
 - Unfasten ties
 - Pull away from neck and shoulders, touching inside of gown only
 - Turn gown inside out
 - Fold or roll into a bundle and discard
- 4. MASK OR RESPIRATOR**
 - Front of mask/respirator is contaminated – DO NOT TOUCH!
 - Grasp bottom, then top ties or elastics and remove
 - Discard in waste container

PERFORM HAND HYGIENE BETWEEN STEPS IF HANDS BECOME CONTAMINATED AND IMMEDIATELY AFTER REMOVING ALL PPE



CC000724



LLUSD WREB CANDIDATE Screening Protocol

- » A working knowledge, understanding and compliance of the screening protocol is imperative for LLUSD.
- » Due to constant changes with the recommending and regulatory agencies this information is subject to change.
- » Thank you.



LOMA LINDA UNIVERSITY

LLUSD
WREB
Screening Protocol