

INTRODUCTION

As knowledge of infectious diseases has increased, dental professionals are concerned with the potential for transmitting diseases in the dental environment. Dental healthcare personnel (DHCP) are exposed to a wide variety of microorganisms through the blood, saliva, and respiratory secretions during patient care. Infections might be transmitted in the dental environment by blood or saliva through direct contact, droplets, or aerosols. There is also the potential for transmission of infection through indirect contact.

Because of the volume of people using the clinical facility, it is critical that every candidate, examiner, and staff member practice proper infection control and prevention (ICP) procedures. Infection control (IC) protocols apply to all patients (standard precautions). Dental hygiene candidates and examiners must continually consider the potential for contamination and cross contamination. The following policies and procedures must be practiced in the ISU Dental Hygiene Clinic and are a supplement to the existing ICP policies and procedures document contained in the Policies and Procedures Manual. These procedures follow the recommendations of the Occupational Safety and Health Administration (OSHA); Centers for Disease Control and Prevention (CDC); Organization for Safety, Asepsis, and Prevention (OSAP); American Dental Hygienists' Association (ADHA); and American Dental Association (ADA).

MONITORING AND MANAGEMENT OF DHCP

All dental healthcare personnel (DHCP) will monitor themselves for fever $\geq 100.0^{\circ}$ F and symptoms consistent with COVID-19. People with COVID-19 have had a wide range of symptoms ranging from mild to severe. Symptoms might appear 2-14 days after exposure to the virus. These symptoms might include:

- Fever or chills
- Cough
- Shortness of breath or difficulty breathing
- Fatigue
- Muscle or body aches
- Headache
- New loss of taste or smell
- Sore throat

- Congestion or runny nose
- Nausea or vomiting
- Diarrhea

This list does not include all possible symptoms. The CDC will continue to update this list as more is learned about COVID-19.

Look for emergency warning signs* for COVID-19. If someone is exhibiting any of these signs, seek emergency medical care immediately:

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion
- Inability to wake or stay awake
- Bluish lips or face

*This list does not include all possible symptoms. Call your medical provider for any other symptoms that are severe or concerning to you. Call 911 or call ahead to your local emergency facility: Notify the operator that you are seeking care for someone who has or might have COVID-19.

DHCP will stay home when they or members of the household are ill. All DHCP check in and are screened on a daily basis at the beginning of the work day prior to entering the clinic facility. Temperatures are self-checked at the front desk upon entering the clinic facility and must be under 100.0° F to remain in the facility.

For more information on Covid-19 and related infection control measures, please review the following links:

CDC Video Donning and Doffing PPE

Donning: <https://www.youtube.com/watch?v=of73FN086E8>

Doffing: <https://www.youtube.com/watch?v=PQxOc13DxvQ>

Symptoms of COVID19

<https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html>

Cases, Data and Surveillance of Covid19

<https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/index.html>

Transmission Based Precautions

<https://www.cdc.gov/infectioncontrol/basics/transmission-based-precautions.html>

How to Protect Yourself and Others

Hand Hygiene Module 2 (Basic Expectations for Safe Care)

https://www.cdc.gov/oralhealth/pdfs_and_other_files/BESC2-Hand-Hygiene-508.pdf

Respiratory Hygiene and Cough Etiquette Module 4 (Basic Expectations for Safe Care)

https://www.cdc.gov/oralhealth/pdfs_and_other_files/BESC4-Respiratory-Hygiene-508.pdf

PATIENT COMMUNICATION

The ICP related to patients is posted for public access on the dental hygiene clinic website.

- Telephone Screenings 24-48 Hours Prior to Appointments (**refer to Appendix A, *Pre-Appointment* column**). Candidates will communicate with patients prior to their scheduled appointment to ask several screening questions. On the day of patient's appointments, the same screening questions will be asked again.
- Patients are asked to have no accompanying visitors with them, unless the situation is medically necessary, for interpreter services, or for a minor child. Children should not accompany parents unless the children are receiving care at the same time.
- All clinic doors are locked except the main (north) entrance from Martin Luther King Way. Upon arrival use the main entrance for check in procedures and the back (south) entrance for exiting following check out.
- Temperatures are taken and recorded upon entrance to the clinic.
- Use of hand sanitizer is required upon entry. Hand sanitizer is available for use upon entrance to the clinic and the restrooms.
- Patients are asked to wear a face mask/cloth covering within our dental hygiene clinic, removing it only during oral health care. A face covering will be provided for those who do not have one.
- 6' distancing is required throughout the clinic and is designated with floor signs.
- To allow for proper disinfection, the reception area no longer offers magazines, children's toys and so forth.
- Limit personal items carried into the building such as a small purse, or jacket. Personal items (purses, wallets, keys, umbrellas) will be placed in a plastic protective barrier and stored under the counter in each operatory. Bulky jackets/coats or backpacks will be hung/placed in the reception area before patients are escorted to the operatory.

USE OF RADIOGRAPH ROOM PROTOCOL

Candidates will follow proper ICP and remove their gloves and lab coat, leaving these items in their unit. Patient will be instructed to wear a face covering while being escorted by the candidate to the radiograph room. The candidate will don a disposable gown and new gloves, while maintaining other PPE (eye wear/face shield) during radiograph exposure.

Upon completion of radiograph exposure, doff gown and gloves following proper ICP stated previously. Patient will be instructed to wear a face covering while being escorted back to the candidate's unit. Once back in the unit, the candidate will don lab coat and follow ICP for hand hygiene prior to donning gloves.

The radiograph rooms will be properly disinfected in-between patients following ICP by the WREB Floor Assistant.

AEROSOL MANAGEMENT PLAN and SOCIAL DISTANCING MEASURES

Aerosol Reduction Protocol

The following is excerpted directly from CDC Guidance. "Avoid aerosol-generating procedures whenever possible. Avoid the use of dental handpieces and the air/water syringe. Use of ultrasonic scalers is not recommended, and hand instruments will be used. If aerosol-generating procedures are necessary for dental care, use four-handed dentistry, high volume evacuation (HVE) suction and dental dams to minimize droplet spatter and aerosols. The number of DHCP present during the procedure should be limited to only those essential for patient care and procedure support."

Aerosol generating procedures include the use of any device connected to the dental unit's air or water line. These procedures include the use of ultrasonic instruments, low speed (e.g., coronal polishing) and high speed handpieces (e.g., restoring tooth structure), air polishing equipment, and the air and water spray together. A properly fitted NIOSH approved N-95 respirator and compliance with the OSHA respiratory protection standard, 29 CFR 1910.134, is required for COVID protection during aerosol producing procedures. ***An N-95 respirator must be worn by the clinician and assistant(s) during all aerosol generating procedures.*** The required training, medical evaluation, and fit test to use the provided N-95 respirators are the responsibility of the candidate. HVE **must** be used.

The following procedures are followed in the ISU Dental Hygiene clinic to comply with CDC guidance related to aerosol management:

- No items are allowed on counter tops or surfaces, other than approved items including: mouse/keyboard, ultrasonic cleaner, bard parker, and sharps containers.
- All supplies will be unit dosed dispensed ahead of time during unit set up.
- A disposable barrier bag is utilized for patient items (keys, wallets, personal items).
- Candidates will **NOT** use the air and water at the same time in an effort to reduce aerosol spray. Air is used alone, water is used alone.

- Use of high speed evacuation (HVE) tips for suction are required for aerosol generating procedures.
- Use of approved pre-procedural mouth rinses (PPMR). PPMR use with CHX or Listerine Antiseptic is required for **all** patients. Although CDC considers this an “unresolved issue,” PPMR with antimicrobial properties (chlorhexidine, essential oils, povidone iodine, cetylpyridium chloride) MAY reduce the level of oral microorganisms. The ISU Dental Hygiene clinic is a large open floor plan clinic with multiple operators and patients, so the use of PPMR will continue as previously recommended. Listerine Antiseptic (essential oil) and chlorhexidine will continue to be available on the mobile supply carts.

Universal Source Control

All DHCP, as well as patients, will be required to wear a facemask **at all times** while in the facility. Masks appropriate for the task are chosen.

- Level 2 and Level 3 surgical masks, and face shields are worn for non-aerosol generating procedures during direct patient care. These masks are appropriate for exposing radiographs, cleaning/disinfecting operator, and sterilization procedures. Surgical masks must be changed when they become soiled, damp from breath, and minimally changed after each patient.
- N95 respiratory masks with a full-face shield are worn for aerosol generating procedures during direct patient care. These masks must be worn when using or performing four-handed dentistry during ultrasonic instrumentation or during high-speed handpiece use. The best practice is to change N95 masks after each patient, when soiled or damp from breath. However, when a shortage exists, N95 respirators can be worn for an extended period of time and can only be re-used for a maximum of 5 patients and stored in a paper bag.
- Cloth masks or a low-level face covering can be used for front desk personnel or at any other time when not in direct patient care. Cloth coverings must be laundered daily.

If a mask must be touched or adjusted, hand hygiene must be performed immediately before and after.

HAND HYGIENE and PPE

Hand Hygiene

Hand hygiene (HH) is the most effective method in disease prevention. All DHCP will strictly adhere to HH in accordance with existing ISU Dental Hygiene IC PPM protocols. All DHCP will adhere to PPE policies and procedures as outlined in existing ISU Dental Hygiene IC PPM protocols. New additional PPE measures recommended by CDC and required by ISU Dental Hygiene include the use of a protective gown, full face shield, and surgical mask or N-95 respirator. Although fabric scrub caps are not required by CDC, ISU Dental Hygiene requires one scrub cap per patient. Cloth caps must be laundered after use. Single use scrub coverings are disposable and discarded after each patient.

All DHCP wear street shoes into the facility, and change into clinical shoes that must be decontaminated at the end of the work day. This procedure is outlined in existing ISU Dental Hygiene IC PPM protocols. Personal items must be left outside of the building or in the closed cabinet under the sink in the operatory.

Donning and doffing of will occur in each individual unit. Many donning/doffing sequences are available. The following sequence is a suggestion from CDC that ISU Dental Hygiene has adopted.

Enter the designated donning station for the section, before entering patient care area (unit): Note: Bring your cloth mask back to your unit with you and store safely in unit under sink.

1. Perform hand hygiene.
2. Secure scrub cap on head.
3. Put on a clean disposable gown or cloth gown that covers scrubs/personal clothing and skin.
4. Put on a surgical mask for all procedures including hand instrumentation or an N95 respirator for aerosol generating procedures.
 - Mask ties should be secured on the crown of the head (top tie) and the base of the neck (bottom tie). If mask has loops, hook them appropriately around your ears.
 - Respirator straps should be placed on the crown of the head (top strap) and the base of the neck (bottom strap). Perform a user seal check each time you put on the respirator.
5. Put on eye protection (loupes).
 - Personal eyeglasses and contact lenses are NOT considered adequate eye protection.
6. Secure face shield.

7. Perform hand hygiene
8. Put on clean non-sterile gloves.
 - Gloves should be changed if they become torn or heavily contaminated.

After completion of dental hygiene care:

9. Dismiss patient
10. Remove gloves in operatory. Keep all other PPE on.
11. Perform hand hygiene in operatory.
12. Don heavy duty utility gloves in operatory.
13. Perform instrument processing and unit clean up procedures in operatory.
14. Remove utility gloves and perform hand hygiene in operatory.
15. Remove eye protection and face shield in operatory. Place items on a clean paper towel on the counter.
 - Carefully remove face shield and eye protection by grabbing the strap and pulling upwards and away from head. Do not touch the front of the eye protection or face shield.
 - Clean reusable eye protection and face shield with soap and water prior to reuse.
 - Avoid using disinfectants on eyewear or face shields to avoid skin irritation.
 - Be careful with loupes (do not submerge)
 - Place clean face shield and loupes on a CLEAN paper towel
16. Remove gown carefully inside out (see video) and discard if disposable or place cloth gown in barrier bag in operatory.
 - Discard disposable gowns after each use.
 - Remove scrub cap and discard if it is disposable. If a cloth scrub cap was worn, remove touching the uncontaminated inside surface and place in the barrier bag.
17. Remove and discard surgical mask or respirator in operatory.
 - Do not touch the front of the respirator or mask.
 - Surgical mask: Carefully untie the mask (or unhook from the ears) and pull it away from the face without touching the front and discard.
 - Respirator: Remove the bottom strap by touching only the strap and bring it carefully over the head. Grasp the top strap and bring it carefully over the head, and then pull the respirator away from the face without touching the front of the respirator. Discard.

18. Don utility gloves and disinfect the countertop and sink areas

19. Perform hand hygiene

APPENDIX A: Patient Screening Questionnaire



Idaho State University

Kasiska Division of Health Sciences



As of June 17, 2020

ADHA COVID-19 PATIENT SCREENING QUESTIONNAIRE

*Indicate Yes or No and provide relevant comments.

Patient Initials /
Eaglesoft #:

Date:

Screening Questions	Pre-Appointment*	In-Office*	Post-Appointment* <small>Patient self-reports within 2 days after appointment, if symptoms or diagnosis of COVID-19</small>
Do you have a fever, or have you felt feverish recently?			
Do you have a cough?			
Are you having shortness of breath or any difficulty breathing?			
Do you have chills or repeated shaking with chills?			
Do you have any muscle pain?			
Do you have any recent onset of headache or sore throat?			
Do you have any other flu-like symptoms? <small>(congestion or runny nose, nausea or vomiting)</small>			
Do you have any recent loss of taste or smell?			
Have you experienced any recent GI upset or diarrhea?			
Are you in contact with anyone who has been confirmed to be COVID-19 positive?			
Have you traveled in the past 14 days to any regions affected by COVID-19?			
Have you been tested for COVID-19? If yes, what was the result?			
Have you been diagnosed with COVID-19? If yes, when?			
Are you over the age of 65?			
Please check if you have any of the following conditions: <input type="checkbox"/> • Heart Disease <input type="checkbox"/> • Autoimmune Disease <input type="checkbox"/> • Lung Disease <input type="checkbox"/> • Kidney Disease <input type="checkbox"/> • Diabetes			

**Idaho State University Department of
Dental Hygiene**



**Idaho State
University**

**Department of
Dental Hygiene**

**Exam Site Information for Candidates
Western Regional Examining Board (WREB)
2021 WREB Hygiene Examination**

Idaho State University

Pocatello Campus
921 South 8th Avenue
Pocatello, ID 83209
(208) 282-3282

Exam Site Information for Candidates

2021 WREB Dental Hygiene, Local Anesthesia & Restorative Examinations

Table of Contents

1. School Facility and Services

- Clinic Address, Building Access and Hours
- Parking
- Security and Emergency Services
- ATM Machine
- Food Services Onsite

2. Preparing for the Exam

- Patient Screening
- Radiographs
- Administration of Local Anesthetic – Practitioner Availability
- Dental Operatory Units
- Equipment, Instruments and Expendable Materials
- Sterilization Services

3. During the Exam

- Infection Control (Surface Asepsis)
- Medical Emergencies and Equipment

4. Travel and Lodging Information

- Airport Information
- Ground Transportation
- Hotel Accommodation

5. Campus Map

6. Clinic Floor Plan

7. Required School-provided Expendable Dental Materials Appendices

1. School Facility and Services

- **Location, Building Access and Hours:** The ISU Dental Hygiene clinic address is 999 Martin Luther King Jr. Way. The main clinic entrance is located on Martin Luther King Jr. Way across from 9th Avenue (Building #37). The clinic is open each day from 7:30 am to 4:30 pm Monday-Friday and extending through the weekend for the hours of the exam. The clinic telephone number is (208) 282-3282. The School Coordinator, Colleen Stephenson, can be the contact at (208) 406-6645 for questions regarding the exam site, equipment, etc.
- **Parking:** A limited number of parking spots are available in the parking lot across 8th Avenue from the school near the Administration Building at no fee when utilizing the dental hygiene clinic. An information booth located in the parking lot on 8th Ave. can provide parking passes for the above area during weekday hours. This booth is located at G5 on the printable map accessible at <https://www.isu.edu/media/top-level/page-layouts/maps/printableISUmap.pdf>. Passes are not needed after 4:00 pm or on weekends or Fridays in the summer months. Parking is available at other areas of campus for a fee that varies based on location- contact the ISU parking office for more information at (208) 282-2625.

Security and Emergency Services: There are multiple phones in the clinic, located in the main hallway by the reception area, in the east and west wing dispensaries, in the faculty office on the east wing, and in the reception area. To contact Campus Security from a campus phone, dial 2515 or 2911. To contact Campus Security from a cell phone, dial (208) 282-2515 or (208) 282-2911. For emergency services dial 8 for an outside line, then 911 to contact Pocatello ambulance, police, and fire or 1-(208) 239-1000 to contact Portneuf Medical Center.

Fire Extinguishers: A fire extinguisher is located next to the main entrance of the clinic. Pull the pin and aim the stream at the base of the fire. A fire alarm is located on the wall in the main hallway by the restrooms. In case of fire, exit the building as soon as possible.

- **ATM Machine:** An ATM is located in the Rendezvous Building adjacent to the Dental Hygiene Clinic inside the doors located on the west entrance with an additional ATM located in the Pond Student Union Building.
- **Food Services Onsite:** Pond Student Union Building (PSUB) on campus has several food options available. Subway, Tastee-Treat, Taco Bell, McDonald's, 5th Street Bagelry, Pizza Hut, Goody's Deli, Elmer's Pancake & Steakhouse, and Jimmy John's are located on 5th Avenue across from campus.

2. Preparing for the Exams

a. Hygiene Exam

- **Patient Screening:** The Dental Hygiene Clinic will be open June 8, 2021 and June 9, 2021 from 8:00-11:30 am and 1:00-3:00 pm. Candidates may screen patients on those days during the specified times. Please contact the School Coordinator, Colleen Stephenson, at (208) 406-6645 if you have any questions or concerns.
- **Radiographs:** The Dental Hygiene Clinic will be open June 7, 2021 and June 8, 2021 from 8:00-11:30 am and 1:00-3:00 pm. for candidates to expose and print digital radiographs for their patients. Access to radiographic equipment and materials will be available during the WREB exam.

A. There is no service fee or charge for screening patients.

- B. Only digital radiography is available onsite. There is no fee for radiographic exposures and printing of radiographs for the exam patients.
- **Administration of Local Anesthetic:** Practitioner(s) from the school is(are) **NOT AVAILABLE** to administer local anesthesia to Candidate Patients. There are no exceptions to this policy.
 - **Equipment, Instruments and Expendable Dental Materials:** Refer to the respective WREB Candidate Guide for a list of materials and armamentarium that the Candidate must provide.
 - A. **Handpiece and Propy Angle Hookups:** All units are equipped for use of high speed and slow speed handpieces. Candidates must provide their own handpieces. No handpieces will be available for use or rent. **Handpiece hookups are 4-hole pattern.** Time will be allotted for all candidates to operate chairs, hook up handpieces, ultrasonic units, etc. during each clinic tour. Candidates are encouraged to ask questions and/or address concerns regarding the WREB examination or the facility at that time.
 - B. **Sonic/Ultrasonic Devices:** A limited number of magnetostrictive ultrasonic units are available for rent for the examination. Cost is \$100 for the unit plus a \$100 deposit (Cash ONLY). The deposit is refundable provided the equipment is returned in the same condition as it was rented. A limited number of ultrasonic inserts are also available to rent for an additional \$100. Due to the limited number of units available for rent, candidates are encouraged to bring their own sonic/ultrasonic devices and corresponding inserts. Each operatory has a quick disconnect water hookup and electrical outlet. There are no hookups for air polishing devices. If you have another device, please contact the School Coordinator, Colleen Stephenson, at (208) 406-6645 to determine if it is compatible with these hookups.
 - C. **Air/Water Syringe Tips:** Candidates are expected to provide their own instruments. Disposable trays, bib clips, saliva ejectors, and air/water syringe tips will be provided to candidates as needed.
 - D. **Blood Pressure Cuffs and Stethoscopes:** A limited number of blood pressure cuffs and stethoscopes are available for Candidate use.
 - E. **Expendable Materials:** Expendable dental materials supplied by the school are noted in **Appendix A**. If template is not utilized, add the expendable list to your document (items not listed are responsibility of Candidate).
 - **Sterilization Services:** Candidates should arrive with all items previously sterilized. After each clinical exam, items for sterilization should be taken to the “non-sterile” bin located in the reception area near the fireplace. Candidates should ensure all instruments are properly bagged and labeled prior to sterilization. Sterilized instruments may be picked up at the “sterile” bin, also located in the reception area, by 3:00 p.m. each weekday and 4:00 p.m. on the Saturday and Sunday of the examinations. All items submitted to be sterilized must be picked up within 5 days of the close of the examination. **Idaho State University is not responsible for lost, stolen, or damaged instruments.**

b. **Local Anesthesia Exam**

- **Equipment, Instruments and Expendable Dental Materials:** Refer to the respective WREB Candidate Guide for a list of materials and armamentarium that the Candidate must provide.
 - A. **Air/Water Syringe Tips:** Candidates are expected to provide their own instruments. Disposable trays, bib clips, saliva ejectors, and air/water syringe tips will be provided to candidates as needed.
 - B. **Expendable Materials:** Expendable dental materials supplied by the school are noted in **Appendix B**. (items not listed are responsibility of Candidate).
- **Sterilization Services:** Candidates should arrive with all items previously sterilized. After each clinical exam, items for sterilization should be taken to the “non-sterile” bin located in the reception area near the fireplace. Candidates should ensure that all instruments are properly bagged and labeled with their Candidate ID # prior to sterilization. Sterilized instruments may be picked up at the “sterile” bin, also located in the reception area, by 3:00 p.m. each weekday of the examination. All items submitted to be sterilized must be picked up within 5 days of the close of the examination. **Idaho State University is not responsible for lost, stolen, or damaged instruments.**

c. **Restorative Exam**

- **Equipment, Instruments and Expendable Dental Materials:** Refer to the respective WREB Candidate Guide for a list of materials and armamentarium that the Candidate must provide.
 - A. **Handpiece and Propy Angle Hookups:** All units are equipped for use of high speed and slow speed handpieces. Candidates must provide their own handpieces. No handpieces will be available for use or rent. **Handpiece hook-ups are 4-hole pattern.** Time will be allotted for all candidates to operate chairs, hook up handpieces, ultrasonic units, etc. during each clinic tour. Candidates are encouraged to ask questions and/or address concerns regarding the WREB examination or the facility at that time.
 - B. **Air/Water Syringe Tips:** Candidates are expected to provide their own instruments. Disposable trays, bib clips, saliva ejectors, and air/water syringe tips will be provided to candidates as needed.
 - C. **Curing Lights:** Curing lights and disposable shields are provided by the school for each operatory. Candidates may use the curing lights provided or bring their own. The curing light must be returned in the same condition as it was prior to the exam or a fee of \$360.00 may be assessed.
 - D. **Expendable Materials:** Expendable dental materials supplied by the school are noted in **Appendix C**. Items not listed are the responsibility of the Candidate.

3. **During the Clinical Exam**

- **Dental Operatory Units:** The clinic is equipped with Adec/511 and 411 chairs and delivery system in each operatory.

- **Infection Control (Surface Asepsis):** Candidates are responsible for providing their own labcoat or disposable gown, face shield, and protective eyewear for themselves and their patient(s). Masks, exam gloves, and plastic overgloves are provided. Candidates must provide their own utility gloves for handling and packaging contaminated instruments.

- **Unit Set-up**
A demonstration will be given during each clinic tour.
 - 1) Obtain protective barrier materials from the central supply area.
 - 2) Put on overgloves and surface disinfect all areas which may be touched during patient treatment. Bottles of disinfectant are provided in each unit. Disinfect bracket table and tray, tri-syringe handle, saliva ejector, high speed suction, dental chair and chair controls, mobile cabinet, top and drawer pulls, sink, sink handles and counter top by applying disinfectant to the surfaces and wiping with 4x4 gauze square(s). Apply the disinfectant to the gauze and use to wipe light switch and light handles.
 - 3) Cover each of the following with protective barriers: bracket table and tray (plastic bag), light switch and handles (barrier tape), tri-syringe handle (plastic bag), saliva ejector adapter (plastic bag), high speed suction adapters (plastic bags), dental chair, headrest and control (plastic bag).
 - 4) Run water through tri-syringe for 30 seconds.
 The candidate must remove examination gloves and wash hands before:
 - Obtaining any additional equipment
 - Going to the supply cart
 - A. Hazardous Waste Disposal (exam-type specific):**
 - **Hygiene:** Blood-saturated items are placed in the red biohazard waste receptacle located at the end of the clinic wing.
 - **Local Anesthesia:** Blood-saturated items are placed in the red biohazard waste receptacle located at the end of the clinic wing.
 - **Restorative:** Amalgam scrap from squeeze cloths and plastic bags should be disposed of in glass jars located adjacent to each triturator.
 - B. Sharps Disposal:** Sharps containers are conveniently located on the countertops throughout the examination area. Used anesthetic cartridges/carpules and needles should be disposed of in the sharps container.

- **Emergency Medical Equipment:** Emergency equipment is located in the west wing dispensary of the Dental Hygiene Clinic and portable oxygen tanks are located on each wing the dispensaries. An AED is located in the front hallway near the restrooms. There are four clearly marked emergency exits (see map). First Aid kits are located in each dispensary and ice packs are available on the supply carts. **Emergency protocol and location of equipment will be shown and discussed during the clinic tour.**

Reference numbers for medical needs are as follows:

Pocatello Ambulance, Fire, and Police -From a campus phone dial 8 then 911
 Portneuf Medical Center - From a campus phone dial 8 then 1-(208) 239-1000
 Campus Security - From a campus phone dial 2515 or 2911. From a cell phone dial (208) 282-2515 or (208) 282-2911

4. Travel and Lodging Information

- **Airport Information:** The Pocatello Airport (PIH) is the closest airport serves the area. There are two airports within a 160-mile radius: Salt Lake City (SLC) and Idaho Falls (IDA).
- **Ground Transportation**
 - a. **Checker Cab** (208) 200-8814
 - b. **Yellow Cab** (208) 237-8294
 - c. **Sam's Taxi Cab Services** (208) 904-0420
 - d. A limited number of Uber and Lyft drivers operate in the area
 - e. The Salt Lake Express is a shuttle service from Salt Lake City to Pocatello and Idaho Falls to Pocatello. Access to additional information about the shuttle is located at <https://saltlakeexpress.com/>.

- **Hotel Accommodations:**

<p>Clarion Inn 1399 Bench Road (208) 237-1400 <i>(Mention ISU for special room rate)</i></p>	<p>TownPlace Suites 2376 Via Caporatti Drive (208) 478-7000</p>	<p>Comfort Inn 1333 Bench Road (208) 237-8155</p>
<p>Hampton Inn And Suites 151 Vista Drive (208) 233-8200</p>	<p>Best Western Cottontree Inn 1415 Bench Rd. (800) 528-1234</p>	<p>Rodeway Inn 835 S. 5th Ave. (208) 233-0451 <i>(Across from campus)</i></p>
<p>Fairfield Inn & Suites by Marriott 205 Via Venitio (208) 233-9200</p>	<p>Red Lion Hotel 1555 Pocatello Creek Rd. (208) 233-2200</p>	<p>Holiday Inn Express 200 Via Venitio (877) 859-5095</p>

5. **Campus Map:** For a printable map of Idaho State University, please use the following link: <https://www.isu.edu/media/top-level/page-layouts/maps/printableISUmap.pdf>
6. **Appendix D: Clinic Floor Plan for COVID19 Capacity**
7. **Appendix E: ISU Dental Hygiene Sciences Building #32 - Seminar Room #101** designated for Examiners

Required School-provided Expendable Dental Materials Appendices

APPENDIX A – Expendable Dental Hygiene Materials List Provided by Exam Site Host (School) To be provided in sufficient quantities for all Dental Hygiene Candidates		
2x2 gauze squares	Cotton-tip applicators	Patient bib clips, disposable
Air/water syringe tips	Drinking cups	Patient napkins/bibs
Antimicrobial mouthwash	Face masks	Prophy paste
Anesthetic(s)	Facial tissue	Sanitizing materials
<ul style="list-style-type: none"> • Local anesthetic(s) with and without vasoconstrictors 	Gloves	Soap
<ul style="list-style-type: none"> • Topical anesthetic(s) 	<ul style="list-style-type: none"> • Gloves, nonlatex (S,M,L,XL) 	Standard saliva ejectors
Autoclave bags, small	<ul style="list-style-type: none"> • Overgloves 	Surface disinfectant
Autoclave bags, medium	Headrest covers	Syringe Needles (long & short)
Autoclave tape	Instrument trays, disposable	Tray covers
Barrier covers/tape	Paper towels	Trash bags


APPENDIX B – Expendable Local Anesthesia Materials List Provided by Exam Site Host (School) To be provided in sufficient quantities for all Local Anesthesia Candidates		
2x2 gauze squares	Cotton-tip applicators	Patient bib clips, disposable
Air/water syringe tips	Drinking cups	Patient napkins/bibs
Antimicrobial mouthwash	Face masks	Sanitizing materials
Anesthetic(s)	Facial tissue	Soap
<ul style="list-style-type: none"> • Local anesthetic(s) with and without vasoconstrictors 	Gloves	Standard saliva ejectors
<ul style="list-style-type: none"> • Topical anesthetic(s) 	<ul style="list-style-type: none"> • Gloves, nonlatex (S, M,L,XL) 	Surface disinfectant
Autoclave bags, small	<ul style="list-style-type: none"> • Overgloves 	Syringe Needles (long & short)
Autoclave bags, medium	Headrest covers	Tray covers
Autoclave tape	Instrument trays, disposable	Trash bags
Barrier covers/tape	Paper towels	

APPENDIX C – Expendable Restorative Materials List Provided by Exam Site Host (School) To be provided in sufficient quantities for all Restorative Candidates		
2x2 gauze squares	Drinking cups	Sanitizing materials
Air syringe tips	Face masks	Rod posts (mounting Typodont)
Amalgamator/Tricherator	Facial tissue	Soap
Amalgam scrap container(s)	Gloves, nonlatex (S,M,L,XL)	Surface disinfectant
Barrier covers/tape	Instrument trays, disposable	Tray covers
Cotton-tip applicators	Paper towels	Trash bags

Appendix D: Clinic Floor Plan for COVID19 Capacity

Dental Hygiene Clinic, Building #37

-  Medify Air Filters
-  Units being used for patient care
-  Hand sanitizing stations (public)
-  Pen sanitizing stations (public)
-  Donning stations
-  Doffing stations



Appendix E: ISU Dental Hygiene Sciences Building #32
Seminar Room #101 designated for Examiners

